


任意要求的鋒利刃
 the sharp edge with any requirement



刃口結構可以任意的排屑方式(如,上排屑、下排屑、左旋右切、右旋左切、左旋左切、右旋右切等等。高螺旋刃,低螺旋刃,帶導柱不帶導柱等等,結構形狀之方式。
 edge structure can be applicable to any chip removing methods(such as, upper chip removal, lower chip removal, left handed right cutting, right handed left cutting, left handed left cutting, and right handed right cutting, etc. High helical edge, low helical edge, with guide pillar or without guide pillar, etc, different structures and shapes.

可任意柄部形狀,結構的生產研磨。
 We can produce and grind to any shapes and structures of shanks.

依圖依樣尺寸公差要求偶可生產特殊、復合、異型、超大超細超長組合成型的系列刀具。
 We can produce special, compound, special-shaped, super-large, super-thin/super-long combined profile series tooling according to requirements of drawings, samples and dimension tolerance.

圖面、サンプル、または寸法の公差要求により特殊、復合、異型または超大、超細、超長の組合せ成型のシリーズカットを生産できる。

材料等級:

- ① 超高防銹高耐磨不銹鋼系列(AA)(HRC54° ± 2° 斷面) (常規常備)
- ② 常規標準防銹高耐磨及超高耐磨系列(A)(HRC45° ~64° 斷面系列)
- ③ 超高耐磨硬質合金系列(AA)(HRA87° ~94° 系列)

Material grade:

- ① ultra-high anti-rust high wear-resistant stainless steel series (AA)(HRC54° ± 2° Section) (regular stock)
- ② general standard anti-rust, high wear-resistant and ultra-high wear-resistant series (A)(HRC45° ~64° Section series)
- ③ ultra-high wear-resistant hard alloy series(AA)(HRA87° ~94° series)

※必要可帶穿透&不穿透,不同等級加工的中空、空芯內孔加工。

With or without penetration, hollow & hollow core inner hole process with different grades. 必要に応じて、貫通付き&貫通なし、各レベル加工での中空、中空内孔加工。

★可超硬、超精研磨。任意的柄部類型、芯厚、容屑槽寬度、刃背方式、鑽尖方式、內冷卻孔方式、刃部結構、刃口角度、刃口鋒利程度之要求,及高可至 ±0.003mm (3μm) 的尺寸公差要求 We can produce with super hard and super finish grinding and satisfy your requirement of any type of shank, web thickness, width of chip flute, land, drill tip, inner cooling hole, structure of cutting edge, angle of cutting edge, degree of sharpness of cutting edge, and the dimension tolerance can be up to ±0.003mm (3μm)